

MM	MM	BBBBBBBB	XX	XX	DDDDDDDD	RRRRRRRR		VV	VV	EEEEEEEEE	RRRRRRRR
MM	MM	BBBBBBBB	XX	XX	DDDDDDDD	RRRRRRRR		VV	VV	EEEEEEEEE	RRRRRRRR
MM	MM	BB	BB	XX	XX	DD	RR RR		VV	EE	RR RR
MM	MM	BB	BB	XX	XX	DD	RR RR		VV	EE	RR RR
MM	MM	BB	BB	XX XX	DD	DD	RR RR		VV	EE	RR RR
MM	MM	BB	BB	XX XX	DD	DD	RR RR		VV	EE	RR RR
MM	MM	BBBBBBBB		XX	DD	DD	RRRRRRRR		VV	VV	RRRRRRRR
MM	MM	BBBBBBBB		XX	DD	DD	RRRRRRRR		VV	VV	RRRRRRRR
MM	MM	BB	BB	XX XX	DD	DD	RR RR		VV	EE	RR RR
MM	MM	BB	BB	XX XX	DD	DD	RR RR		VV	EE	RR RR
MM	MM	BB	BB	XX	DD	DD	RR RR		VV VV	EE	RR RR
MM	MM	BB	BB	XX	DD	DD	RR RR		VV VV	EE	RR RR
MM	MM	BBBBBBBB	XX	XX	DDDDDDDD	RR RR		VV	EEEEEEEEE	RR RR	RR RR
MM	MM	BBBBBBBB	XX	XX	DDDDDDDD	RR RR		VV	EEEEEEEEE	RR RR	RR RR

MM	MM	AAAAAA	PPPPPPPP
MM	MM	AAAAAA	PPPPPPPP
MM	MM	AA	PP PP
MM	MM	AA	PP PP
MM	MM	AA	PP PP
MM	MM	AA	PP PP
MM	MM	AA	PPPPPPPP
MM	MM	AA	PPPPPPPP
MM	MM	AAAAAAAA	PP
MM	MM	AAAAAAAA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP

EXES:MBXDRIVER

H 1
16-SEP-1984 04:36

VAX-11 Linker V04-00

Page 1

**

+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
MBXDRIVER	V04-001	1976	\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1	16-SEP-1984 00:02	VAX/VMS Macro V04-00
SYS	V04-000	0	\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk	VBN	PFC	Protection and Paging	Global Sec.	Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	2	4	00000000	2	0	READ	WRITE	COPY ON REF				

Key for special characters above:

+-----+
| R - Relocatable |
| P - Protected |
+-----+

No
--
PA
PA
PA
PA
PA
PA
PA
PA
PA
SY

! Program Section Synopsis !

Psect Name	Module Name	Base	End	Length	Align	Attributes
\$@@\$105_PROLOGUE	MBXDRIVER	00000000	00000075	00000076 (118.)	BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000000	00000075	00000076 (118.)	BYTE 0
\$@@\$115_DRIVER	MBXDRIVER	00000078	000007B9	00000742 (1858.)	LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000078	000007B9	00000742 (1858.)	LONG 2

```
-----+
! Symbol Cross Reference !
-----+
```

Symbol	Value	Defined By	Referenced By ...
COMSDELATTNAST	8000E066	SYS	MBXDRIVER
COMSFLUSHATTNS	8000E0B5	SYS	MBXDRIVER
COMSPGST	8000E0E7	SYS	MBXDRIVER
COMSSETTNTNAST	8000E13B	SYS	MBXDRIVER
EXE\$ABORTIO	80009C1C	SYS	MBXDRIVER
EXE\$ALONONPAGED	8000A901	SYS	MBXDRIVER
EXE\$ALOSHARED	8000AB00	SYS	MBXDRIVER
EXE\$CHKRDACCES	8001045D	SYS	MBXDRIVER
EXE\$CHKWRTACCES	80010467	SYS	MBXDRIVER
EXE\$DEANONPAGED	8000A9F9	SYS	MBXDRIVER
EXE\$DEASHARED	8000AB1D	SYS	MBXDRIVER
EXE\$FINISHIOC	80009C29	SYS	MBXDRIVER
EXE\$GL_LOCKTRY	80003D20	SYS	MBXDRIVER
EXE\$IORSNWAIT	800094A0	SYS	MBXDRIVER
EXE\$QIDRVPKT	80009C3F	SYS	MBXDRIVER
EXE\$QIOPRTURN	80009C75	SYS	MBXDRIVER
EXE\$READCHK	800095D2	SYS	MBXDRIVER
EXE\$WRITECHK	800095D8	SYS	MBXDRIVER
IOC\$MNTPVER	8000CF43	SYS	MBXDRIVER
IOC\$REQCOM	8000CEB4	SYS	MBXDRIVER
IOC\$RETURN	8000D355	SYS	MBXDRIVER
LNM\$DELETE_LNMB	80018858	SYS	MBXDRIVER
LNM\$LOCKW	8001910E	SYS	MBXDRIVER
LNM\$UNLOCK	80019116	SYS	MBXDRIVER
MASRAVAIL	80003568	SYS	MBXDRIVER
MASREQUEST	8000356E	SYS	MBXDRIVER
MBX\$DDT	00000078-R	MBXDRIVER	
PMSSGL_MBREADS	8000335C	SYS	MBXDRIVER
PMSSGL_MBWRITES	80003360	SYS	MBXDRIVER
SYSSK_VERSION	48513258	SYS	

+-----+
! Symbols By Value !
+-----+

Value

00000078	R-MBXSDDT
48513258	SYSSK VERSION
8000335C	PMSGC_MBREADS
80003360	PMSGL_MBWRITES
80003568	MASRAVAIL
8000356E	MASREQUEST
80003D20	EXESGL_LOCKRTRY
800094A0	EXESIORSNWAIT
800095D2	EXESREADCHK
800095D8	EXESWRITECHK
80009C1C	EXESABORTIO
80009C29	EXESFINISHIOC
80009C3F	EXESQIODRVPKT
80009C75	EXESQIOPRETURN
8000A901	EXESALONONPAGED
8000A9F9	EXESDEANONPAGED
8000AB00	EXESALOSHARED
8000AB1D	EXESDEASHARED
8000CEB4	IOCSREQCOM
8000CF43	IOCSMNTVER
8000D355	IOCSRETURN
8000E066	COMSDELATTNAST
8000E085	COMSFLUSHATTNS
8000E0E7	COMSPOST
8000E13B	COMSETATTNAST
8001045D	EXESCHKRDACCES
80010467	EXESCHKWRTACCES
80018B5B	LNMSDELETE_LNMB
8001910E	LNMSLOCKW
80019116	LNMSUNLOCK

Symbols...

Key for special characters above:

+-----+
| * - Undefined |
| U - Universal |
| R - Relocatable |
| X - External |
+-----+

Virtual memory allocated:

Stack size:

Image header virtual block limits:

Image binary virtual block limits:

Image name and identification:

Number of files:

Number of modules:

Number of program sections:

Number of global symbols:

Number of cross references:

Number of image sections:

Image type:

Map format:

Estimated map length:

00000000 000007FF 00000800 (2048. bytes, 4. pages)

0. pages

1. 1. (1. block)

2. 5. (4. blocks)

MBXDRIVER V04-001

2.

2.

5.

29.

58.

1.

NOPIC, SHAREABLE, Global Section Match=EQUAL, Ident, Major=18, Minor=14937377
FULL WITH CROSS REFERENCE in file _S255SDUA28:[DRIVER.LIS]MBXDRIVER.MAP;1
21. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	34	00:00:00.28	00:00:00.53
Pass 1:	37	00:00:00.89	00:00:08.38
Allocation/Relocation:	3	00:00:00.13	00:00:01.11
Pass 2:	6	00:00:00.25	00:00:01.20
Map data after object module synopsis:	6	00:00:00.27	00:00:00.28
Symbol table output:	0	00:00:00.05	00:00:00.62
Total run values:	86	00:00:01.87	00:00:12.12

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 160
of which 22 were in libraries and 2 were DEBUG data records containing 77 bytesNumber of modules extracted explicitly = 1
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:MBXDRIVER/CONTIGUOUS/MAP=MAPS:MBXDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE=MBX
DRIVER,EXSM:SYS.STB/SELECTIVE,SYSS\$INPUT/OPTION
BASE=0

0106 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

